



YOUR TRUSTED SOURCE

for top-of-the-line
fall protection.



 1-800-429-0896

ABOUT LSD SAFETY

SECURE YOUR STEPS, EMPOWER YOUR SAFETY.

At **LSD SAFETY**, we understand that when you are working at heights, there is absolutely no room for compromise.



Based in Newark, NJ

We are your trusted source for top-of-the-line fall protection



OUR MISSION IS SIMPLE

To provide the highest quality safety gear so that every worker can do their job with confidence and return home safely at the end of the day.

We offer a comprehensive range of fall protection solutions engineered for durability, comfort, and, above all, life-saving reliability. From our premium padded 5-point harnesses and self-retracting lifelines (SRLs) to our heavy-duty concrete anchors and connectors, every item we carry is rigorously tested to meet or exceed strict ANSI and OSHA standards.

Why Choose LSD Safety?



Uncompromising Quality

We utilize heavy-duty materials like galvanized steel, forged aluminum, and high-strength webbing to ensure our gear withstands the toughest job site conditions



Comprehensive Solutions

Whether you need personal bodywear, disposable anchors, or multi-man horizontal lifeline systems, we provide complete, ready-to-use solutions.



Compliance You Can Trust

We take the guesswork out of safety. Our products are clearly labeled with their specific ANSI Z359 certifications so you know your site is always compliant.

We aren't just selling equipment; we are providing **peace of mind**.

Thank you for choosing LSD Safety

We are excited to be a part of your safety story

PHONE

1-800-429-0896

EMAIL

contact@lsdsafety.com

WEBSITE

www.LSDsafety.com

ADDRESS

9222 Clifford St. Newark, NJ 07105

TABLE OF CONTENTS

ANCHORAGE

Safety Disposable Concrete Anchor Strap	4
Safety Bucket Roofing Kit	4
Safety Cross Arm Strap	5
Safety 4"-13" Aluminum Sliding Beam Anchor.	6
Safety Parapet Anchor.	6
Safety 3/4" Reusable Concrete Anchor	6
Safety Reusable Roof Anchor	7
Safety Ring Wedge Roof Anchor	7
Safety 2-Way Standing Seam Anchor.	7

BODYWEAR

Safety 3 pt. Full Body Harness with Mating Buckle Legs	8
Safety 3 pt. Full Body Harness with Mating Buckle Legs and Side D-rings	8
Safety 5 pt. Full Body Harness with Mating Buckle Legs	8
Safety 5 pt. Full Body Harness with Mating Buckle Legs and Side D-rings	9
Safety 5 pt. Full Body Harness with Tongue Buckle Legs	9
Safety 5 pt. Full Body Harness with Tongue Buckle Legs and Side D-rings	10
Safety 5 pt. Full Body Harness with H-Style Tongue Buckle Legs and Trauma Relief Straps	10
Safety 5 pt. Full Body Harness with H-Style Tongue Buckle Legs, Trauma Relief Straps, and Side D-rings	10
Safety 5 pt. Full Body Harness with H-Style Tongue Buckle Legs & Quick Connect Chest, Trauma Relief Straps, & Shoulder/Back Pads	11
Safety 5 pt. Full Body Harness with H-Style Tongue Buckle Legs and Quick Connect Chest, Trauma Relief Straps, Side D-rings, and Shoulder/Back Pads	11
Safety 5 pt. Full Body Harness with H-Style Tongue Buckle Legs and Quick Connect Chest, Trauma Relief Straps, Padded Construction Belt with Side D-rings, and Shoulder/Back Pads	11
Safety Kit with 3 pt. Full Body Harness and 6 ft. SAL Lanyard with Snap Hooks	12
Safety 5 pt. Full Body Harness with Tongue Buckle Legs and Quick Connect Chest, Trauma Relief Straps, Padded Construction Belt with Side D-rings, and Shoulder/Back Pads	12
Safety 5 pt. Full Body Harness with Tongue Buckle Legs, and Shoulder/Back Pads	12
Safety Harness D-ring Extender	13
Safety 5 pt. Full Body Harness with Tongue Buckle Legs and Quick Connect Chest, Trauma Relief Straps, Side D-rings, and Shoulder/Back Pads	13
Safety Trauma Relief Straps	13

Safety D-ring Extender for Leading Edge (LE)	13
--	----

CONNECTORS

Safety 25-100 ft. Polysteel Rope Lifeline	14
Safety 6 ft. Double Leg Shock Absorbing Lanyard with 3/4" Hook	14
Safety 6 ft. Double Leg Shock Absorbing Lanyard with 2-1/4" Hook	14
Safety 6 ft. Single Leg Shock Absorbing Lanyard with 3/4" Hook	15
Safety 6 ft. Single Leg Shock Absorbing Lanyard with 2-1/4" Hook	15
Safety 3 ft. Single Leg Shock Absorbing Lanyard with 3/4" Hook	15
Safety 6 ft. Single Leg Internal Shock Absorbing Lanyard with 2-1/4" Hook	16
Safety Rebar Chain Positioning Device with 2-1/4" Hook	16
Safety 5/8-3/4" Openable Rope Grab	17
Safety 3 ft. Lanyard with Openable Rope Grab (5/8" - 3/4" Rope Diameter)	17
Safety 5/8" Openable Rope Grab	17
Safety Carabiner 1/2" Gate Opening	18
Safety Carabiner 1" Gate Opening	18
Safety Carabiner 1.81" Gate Opening.	18
Safety Carabiner 2.13" Gate Opening	18
Safety Rebar Scaffold Hook.	18

SELF-RETRACTING DEVICES

Safety 6 ft. Web SRL-P with 3/4" Hook	19
Safety Twin 6 ft. Web SRL-P with 3/4" Hook	19
Safety 11 ft. Web SRL with 3/4" Hook.	19
Safety 6 ft. Web SRL-P with 2-1/4" Hook	19
Safety 11 ft. Web SRL with 2-1/4" Hook.	19
Safety Twin 6 ft. Web SRL-P with 3/4" Hook	19
Safety 15 ft. Cable SRL	20
Safety 30 ft. Cable SRL	20
Safety 20 ft. Cable SRL	20
Safety 50 ft. Cable SRL	20
Safety 12 ft. Cable Leading Edge SRL-LE	21
Safety 30 ft. Cable Leading Edge SRL-LE.	21
Safety 20 ft. Cable Leading Edge SRL-LE.	21
Safety 50 ft. Cable Leading Edge SRL-LE	21

HORIZONTAL LIFELINE SYSTEMS

Safety Horizontal Lifeline System - 2 Person	22
Safety Horizontal Lifeline System - 4 Person	22



LSD Safety Disposable Concrete Anchor Strap

Disposable Concrete Anchor Strap – 4-10 ft.

SKU: AC04-10

Color: Red Strap

Standard: ANSI Z359.18 – 2017

Features:

- Supports 5000 lbs.
- 1-3/4" loop
- D-Ring

Size:

Part #	Size
AC 04	4 ft.
AC 06	6 ft.
AC 08	8 ft.
AC 10	10 ft.



LSD Safety Bucket Roofing Kit

Roofing Kit

SKU: RK01

Standard: ANSI Z359.15–2014.

Features:

- Includes 5 pt. harness
- Includes 50 ft. lifeline
- Includes attached rope grab with lanyard and Roof anchor



LSD Safety Cross Arm Strap

Cross Arm Strap – 3-16 ft.

SKU: CAS03-16

Color: Yellow and Black

Standard: ANSI Z359.18 – 2017

Features:

- Large D ring pass through
- Small D-ring
- 3" (Strap width)

Size:

Part #	Size
CAS03	3 ft.
CAS04	4 ft.
CAS06	6 ft.
CAS08	8 ft.
CAS10	10 ft.
CAS12	12 ft.
CAS14	14 ft.
CAS16	16 ft.





LSD Safety 4"-13" Aluminum Sliding Beam Anchor

Aluminum Sliding Beam Anchor

SKU: BEAM01

Size: 3-14" flange

Standard: ANSI Z359.18 – 2017

Features:

- Breaking Strength: 5000 lbs.
- Aluminum Construction
- Adjustable



LSD Safety Parapet Anchor

Parapet Anchor

SKU: PA01

Standard: ANSI Z359.18 – 2017

Features:

- Breaking Strength: 5000 lbs.
- Galvanized Steel
- Adjustable



LSD Safety 3/4" Reusable Concrete Anchor

Reusable Concrete Anchor

SKU: RCA5K

Standard: ANSI Z359.18 – 2017

Features:

- Supports 5000 lbs.



LSD Safety Reusable Roof Anchor

Roof Anchor

SKU: RA01

Standard: ANSI Z359.18 – 2017

Features:

- Breaking Strength: 5000 lbs.
- Designed for repeated use
- Galvanized Steel



LSD Safety Ring Wedge Roof Anchor

Roof Ring Anchor

SKU: RRA01

Standard: ANSI Z359.18 – 2017

Features:

- Breaking Strength: 5000 lbs.
- Designed for repeated use
- Galvanized Steel



LSD Safety 2-Way Standing Seam Anchor

Standing Seam Anchor

SKU: SA01

Standard: ANSI Z359.18 – 2017

Features:

- Breaking Strength: 5000 lbs.
- Two way standing
- Galvanized Steel



LSD Safety 3 pt. Full Body Harness with Mating Buckle Legs

Full Body Harness with 3 Points of Adjustment

SKU: H301

Size: Universal (M-XL)

Color: Yellow and Black

Standard: ANSI Z359.11-2021. A10.32-2012

Features:

- Dorsal D-Ring
- Adjustable leg straps



LSD Safety 3 pt. Full Body Harness with Mating Buckle Legs and Side D-rings

Full Body Harness with 3 Points of Adjustment

SKU: H302

Size: Universal (M-XL)

Color: Yellow and Black

Standard: ANSI Z359.11-2021. A10.32-2012

Features:

- Dorsal D-Ring
- Adjustable leg straps
- Hip ring



LSD Safety 5 pt. Full Body Harness with Mating Buckle Legs

Full Body Harness with 5 Points of Adjustment

SKU: H500

Size: Universal (M-XL)

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2021. A10.32-2012

Features:

- Adjustable leg straps
- Dorsal D-Ring



LSD Safety 5 pt. Full Body Harness with Mating Buckle Legs and Side D-rings

Full Body Harness with 5 Points of Adjustment

SKU: H501

Size: Universal (M-XL)

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2021. A10.32-2012

Features:

- Adjustable leg straps
- Dorsal D-Ring
- Hip Ring



LSD Safety 5 pt. Full Body Harness with Tongue Buckle Legs

Full Body Harness with 5 Points of Adjustment

SKU: H502-05

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2021. A10.32-2012

Features:

- Dorsal D-Ring
- Adjustable leg straps
- Hip ring

Size:

Part #	Size
H502	Small
H503	Universal (M-XL)

Size:

Part #	Size
H504	2XL
H505	3XL



LSD Safety 5 pt. Full Body Harness with Tongue Buckle Legs and Side D-rings

H-Style Full Body Harness with 5 Points of Adjustment

SKU: H506

Size: Universal (M-XL)

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2021. A10.32-2012

Features:

- Grommet leg straps
- Dorsal D-Ring
- Side D-Ring



LSD Safety 5 pt. Full Body Harness with H-Style Tongue Buckle Legs and Trauma Relief Straps

H-Style Full Body Harness with 5 Points of Adjustment

SKU: HH501

Size: Universal (M-XL)

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2021. A10.32-2012

Features:

- H style grommet leg straps
- 5 pt adjustment
- Dorsal D-Ring



LSD Safety 5 pt. Full Body Harness with H-Style Tongue Buckle Legs, Trauma Relief Straps, and Side D-rings

H-Style Full Body Harness with 5 Points of Adjustment

SKU: HH502

Size: Universal (M-XL)

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2021. A10.32-2012

Features:

- H style grommet leg straps
- 5 pt adjustment
- Dorsal D-Ring, Side D-ring



LSD Safety 5 pt. Full Body Harness with H-Style Tongue Buckle Legs & Quick Connect Chest, Trauma Relief Straps, & Shoulder/Back Pads

H-Style Full Body Harness with 5 Points of Adjustment

SKU: HH503

Size: Universal (M-XL)

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2021. A10.32-2012

Features:

- H style grommet leg straps, padding: shoulder
- 5 pt adjustment
- Dorsal D-Ring



LSD Safety 5 pt. Full Body Harness with H-Style Tongue Buckle Legs and Quick Connect Chest, Trauma Relief Straps, Side D-rings, and Shoulder/Back Pads

H-Style Full Body Harness with 5 Points of Adjustment

SKU: HH504

Size: Universal (M-XL)

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2021. A10.32-2019

Features:

- H style grommet leg straps, padding: shoulder
- 5 pt adjustment
- Dorsal D-Ring, Side D-ring



LSD Safety 5 pt. Full Body Harness with H-Style Tongue Buckle Legs and Quick Connect Chest, Trauma Relief Straps, Padded Construction Belt with Side D-rings, and Shoulder/Back Pads

Padded Full Body Harness with 5 Points of Adjustment

SKU: HH505

Size: Universal (M-XL)

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2021. A10.32-2019

Features:

- H style grommet leg straps, padding: shoulder, positioning belt
- 5 pt adjustment
- Dorsal D-Ring, Side D-ring



LSD Safety Kit with 3 pt. Full Body Harness and 6 ft. SAL Lanyard with Snap Hooks

Kit with Full Body Harness and Lanyard

SKU: HLK01

Size: Universal

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.3-2019, A10.32-2012

- Features:**
- 3 pt FBH
 - Includes lanyard
 - Bg03 bag



LSD Safety 5 pt. Full Body Harness with Tongue Buckle Legs and Quick Connect Chest, Trauma Relief Straps, Padded Construction Belt with Side D-rings, and Shoulder/Back Pads

Kit with Full Body Harness and Lanyard

SKU: HP501-3

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2014, A10.32-2012

- Features:**
- Padding: / shoulder/ positioning belt
 - 5 pt adjustment
 - Dorsal D-Ring

Part #	HP501	HP502	HP503
Size	Universal (M-XL)	Small	2XL



LSD Safety 5 pt. Full Body Harness with Tongue Buckle Legs, and Shoulder/Back Pads

Padded Full Body Harness with 5 Points of Adjustment

SKU: HP504-6

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2021, A10.32-2012

- Features:**
- Padding: shoulder
 - 5 pt adjustment
 - Dorsal D-Ring

Part #	HP504	HP505	HP506
Size	Universal (M-XL)	Small	2XL



LSD Safety 5 pt. Full Body Harness with Tongue Buckle Legs and Quick Connect Chest, Trauma Relief Straps, Side D-rings, and Shoulder/Back Pads

Padded Full Body Harness with 5 Points of Adjustment

SKU: HP507-8

Color: Top: Yellow/Black | Bottom: Black

Standard: ANSI Z359.11-2021. A10.32-2012

- Features:**
- Padding: shoulder
 - 5 pt adjustment
 - Hip D-Ring

Part #	HP507	HP508
Size	Universal (M-XL)	Small



LSD Safety Harness D-ring Extender

D-ring Extender

SKU: DE01

Size: 12inch

Color: Webbing: Yellow
Shock Pack: Black

Standard: ANSI Z359.3-2019

- Features:**
- Single Leg
 - 3/4" Hook Webbing



LSD Safety D-ring Extender for Leading Edge (LE)

D-ring Extender for Leading Edge (LE)

SKU: DEL02

Size: 12inch

Color: Webbing: Yellow
Shock Pack: Black

Standard: ANSI Z359.3-2019

- Features:**
- Single Leg
 - 3/4" Hook Webbing




LSD Safety Trauma Relief Straps

Trauma Straps

SKU: TS01

- Features:**
- Looped webbing
 - Two pack system



LSD Safety 25-100 ft. Polysteel Rope Lifeline

25-100 ft. Polysteel Rope Lifeline

SKU: L25-100

Color: White w/Blue Tracer

Standard: ANSI Z359.15-2014.

Features:

- 5/8" rope
- Locking snap hook on one end

Part #	Size
L25	25 ft.
L50	50 ft.
L100	100 ft.



LSD Safety 6 ft. Double Leg Shock Absorbing Lanyard with 3/4" Hook

6 ft. Double Leg Shock Absorbing Lanyard with 3/4" Hook

SKU: LD03

Size: 6 ft.

Color: Webbing: Yellow | Shock Pack: Black

Standard: ANSI Z359.3-2019

Features:

- Double Leg
- 3/4" Snap Hook
- Shock Pack



LSD Safety 6 ft. Double Leg Shock Absorbing Lanyard with 2-1/4" Hook

Shock Absorbing Lanyard

SKU: LD04

Size: 6 ft.

Color: Webbing: Yellow | Shock Pack: Black

Standard: ANSI Z359.3-2019

Features:

- Double Leg
- 2-1/4" Rebar Hook
- Shock Pack



LSD Safety 6 ft. Single Leg Shock Absorbing Lanyard with 3/4" Hook

6 ft. Single Leg Shock Absorbing Lanyard with 3/4" Hook

SKU: LS01

Size: 6 ft.

Color: Webbing: Yellow | Shock Pack: Black

Standard: ANSI Z359.3-2019

Features:

- Single Leg
- 3/4" Snap Hook
- Shock Pack



LSD Safety 6 ft. Single Leg Shock Absorbing Lanyard with 2-1/4" Hook

6 ft. Single Leg Shock Absorbing Lanyard with 2-1/4" Hook

SKU: LS02

Size: 6 ft.

Color: Webbing: Yellow | Shock Pack: Black

Standard: ANSI Z359.3-2019

Features:

- Single Leg
- 2-1/4" Rebar Hook
- Shock Pack



LSD Safety 3 ft. Single Leg Shock Absorbing Lanyard with 3/4" Hook

3 ft. Single Leg Shock Absorbing Lanyard with 3/4" Hook

SKU: LS05

Size: 6 ft.

Color: Webbing: Yellow | Shock Pack: Black

Standard: ANSI Z359.3-2019

Features:

- Single Leg
- 3/4" Rebar Hook
- Internal Shock



LSD Safety 6 ft. Single Leg Internal Shock Absorbing Lanyard with 2-1/4" Hook

6 ft. Single Leg Internal Shock Absorbing Lanyard with 2-1/4" Hook

SKU: LS06

Size: 6 ft.

Color: Webbing: Yellow

Standard: ANSI Z359.3-2019

Features:

- Single Leg
- 2-1/4" Rebar Hook
- Internal Shock



LSD Safety Rebar Chain Positioning Device with 2-1/4" Hook

Rebar Chain Positioning Device with 2-1/4" Hook

SKU: RCP24

Standard: ANSI Z359.18 – 2019

Features:

- 2-1/4" Rebar Hook
- 2 small snap hooks
- Total length 24" with chains and hooks

LSD Safety 5/8-3/4" Openable Rope Grab

Openable Rope Grab (5/8" - 3/4" Rope Diameter)

SKU: RG02

Standard: ANSI Z359.3-2019

Features:

- 5/8"- 3/4" rope grab
- 3/4" Snap Hook



LSD Safety 3 ft. Lanyard with Openable Rope Grab (5/8" - 3/4" Rope Diameter)

3 ft. Lanyard with Rope Grab (5/8" - 3/4" Rope Diameter)

SKU: RGL01

Size: 3 ft.

Color: Yellow Chromate finish

Standard: ANSI Z359.15-2014.

Features:

- Shock-pack lanyard
- 5/8"- 3/4" rope grab
- 3/4" Snap Hook



LSD Safety 5/8" Openable Rope Grab


Rope Grab

SKU: RG01

Standard: ANSI Z359.15-2014.

Features:

- 5/8" rope grab
- Breaking Strength: 3372 lbs.
- Galvanized Steel





LSD Safety Carabiner 1/2" Gate Opening

SKU: SC01

Size: 1/2" gate opening

User Weight Capacity: ANSI 130–310 lbs.
(140.6kg)

Standard: ANSI Z359.12–2019

Features:

- Steel twist lock
- Gate Strength 3,600 lbs.
- Min. Breaking Strength 5,000 lbs.



LSD Safety Carabiner 1.81" Gate Opening

SKU: SC02

Size: 1.81" gate opening

User Weight Capacity: ANSI 130–310 lbs.
(140.6kg)

Standard: ANSI Z359.12–2019

Features:

- Forged steel twist lock gate
- Gate Strength 3,600 lbs.
- Min. Breaking Strength 5,000 lbs.



LSD Safety Carabiner 2.13" Gate Opening

SKU: SC04

Size: 2.13" gate opening

User Weight Capacity: ANSI 130–310 lbs.
(140.6kg)

Standard: ANSI Z359.12–2019

Features:

- Forged tear drop steel twist lock gate
- Gate Strength 3,600 lbs.
- Min. Breaking Strength 5,000 lbs.



LSD Safety Carabiner 1" Gate Opening

SKU: SC05

Size: 1" gate opening

User Weight Capacity: ANSI 130–310 lbs.
(140.6kg)

Standard: ANSI Z359.12–2019

Features:

- Steel twist lock
- Gate Strength 3,600 lbs.
- Min. Breaking Strength 5,000 lbs.



LSD Safety Rebar Scaffold Hook

SKU: SC06

Size: 2.56" gate opening

User Weight Capacity: ANSI 130–310 lbs.
(140.6kg)

Standard: ANSI Z359.12–2019

Features:

- Material: Forged Steel
- Gate Strength 3,600 lbs.
- Min. Breaking Strength 5,000 lbs.



LSD Safety 6 ft. Web SRL-P with 3/4" Hook

6 ft. Web SRL-P with 3/4" Hook

SKU: SRLW6

Size: 6 ft.

Color: Red

Standard: ANSI Z359.14-2021 Class 1.

Features:

- Max Arresting Force: 1800 lbs.
- 3/4" Snap hook
- Carabiner Included



LSD Safety 6 ft. Web SRL-P with 2-1/4" Hook

6 ft. Web SRL-P with 2-1/4" Hook

SKU: SRLW6R

Size: 6 ft.

Color: Red

Standard: ANSI Z359.14-2021 Class 1.

Features:

- Max Arresting Force: 1800 lbs.
- 2-1/4" Rebar hook
- Carabiner Included



LSD Safety Twin 6 ft. Web SRL-P with 3/4" Hook

Twin 6 ft. Web SRL-P with 3/4" Hook

SKU: SRLW6D

Size: 6 ft.

Color: Red

Standard: ANSI Z359.14-2021 Class 1.

Features:

- Max Arresting Force: 1800 lbs.
- 3/4" Snap hook
- Carabiner Included



LSD Safety Twin 6 ft. Web SRL-P with 3/4" Hook

Twin 6 ft. Web SRL-P with 3/4" Hook

SKU: SRLW6RD

Size: 6 ft.

Color: Red

Standard: ANSI Z359.14-2021 Class 1.

Features:

- Max Arresting Force: 1800 lbs.
- 2-1/4" Rebar hook
- Carabiner Included



LSD Safety 11 ft. Web SRL with 3/4" Hook

11 ft. Web SRL with 3/4" Hook

SKU: SRL11

Size: 11 ft.

Color: Red

Standard: ANSI Z359.14-2021 Class 1.

Features:

- Max Arresting Force: 1800 lbs.
- 3/4" Snap hook
- Carabiner Included



LSD Safety 11 ft. Web SRL with 2-1/4" Hook

11 ft. Web SRL with 2-1/4" Hook

SKU: SRL11R

Size: 11 ft.

Color: Red

Standard: ANSI Z359.14-2021 Class 1.

Features:

- Max Arresting Force: 1800 lbs.
- 2-1/4" Rebar hook
- Carabiner Included

SELF-RETRACTING DEVICES



LSD Safety 15 ft. Cable SRL

15 ft. Cable SRL

SKU: SRLC15

Size: 15 ft.

Color: Black

Standard: ANSI Z359.14-2021 Class 1.

Features:

- Max Arresting Force: 1800 lbs.
- 3/4" Indicator Snap hook
- Carabiner Included



LSD Safety 20 ft. Cable SRL

20 ft. Cable SRL

SKU: SRLC20

Size: 20 ft.

Color: Black

Standard: ANSI Z359.14-2021 Class 1.

Features:

- Max Arresting Force: 1800 lbs.
- 3/4" Indicator Snap hook
- Carabiner Included



LSD Safety 30 ft. Cable SRL

30 ft. Cable SRL

SKU: SRLC30

Size: 30 ft.

Color: Black

Standard: ANSI Z359.14-2021 Class 1.

Features:

- Max Arresting Force: 1800 lbs.
- 3/4" Indicator Snap hook
- Carabiner Included



LSD Safety 50 ft. Cable SRL

50 ft. Cable SRL

SKU: SRLC50

Size: 50 ft.

Color: Black

Standard: ANSI Z359.14-2021 Class 1.

Features:

- Max Arresting Force: 1800 lbs.
- 3/4" Indicator Snap hook
- Carabiner Included



LSD Safety 12 ft. Cable Leading Edge SRL-LE

12 ft. Cable Leading Edge SRL-LE

SKU: SRL12LE

Size: 12 ft.

Color: Black

Standard: ANSI Z359.14-2014 SRL-LE. Class 2.

Features:

- Max Arresting Force: 1800 lbs.
- 3/4" Indicator Snap hook
- Carabiner Included



LSD Safety 20 ft. Cable Leading Edge SRL-LE

20 ft. Cable Leading Edge SRL-LE

SKU: SRL20LE

Size: 20 ft.

Color: Black

Standard: ANSI Z359.14-2014 SRL-LE. Class 2.

Features:

- Max Arresting Force: 1800 lbs.
- 3/4" Indicator Snap hook
- Carabiner Included



LSD Safety 30 ft. Cable Leading Edge SRL-LE

30 ft. Cable Leading Edge SRL-LE

SKU: SRL30LE

Size: 30 ft.

Color: Black

Standard: ANSI Z359.14-2014 SRL-LE. Class 2.

Features:

- Max Arresting Force: 1800 lbs.
- 3/4" Indicator Snap hook
- Carabiner Included



LSD Safety 50 ft. Cable Leading Edge SRL-LE

50 ft. Cable Leading Edge SRL-LE

SKU: SRL50LE

Size: 50 ft.

Color: Black

Standard: ANSI Z359.14-2014 SRL-LE. Class 2.

Features:

- Max Arresting Force: 1800 lbs.
- 3/4" Indicator Snap hook
- Carabiner Included

HORIZONTAL LIFELINE SYSTEMS

LSD LIFE SAFETY
DEVICES SECURE YOUR STEPS.
EMPOWER YOUR SAFETY.

LSD Safety Horizontal Lifeline System - 2 Person

Horizontal Lifeline System - 2 Person



SKU: HLL02

Size: Span Length 15-100 ft.

Standard: Meets OSHA 1926.502

Features:

- Min Breaking Strength 5620 lbs.
- Kernmantle rope of dia 5/8".
- 2 man life line system

LSD Safety Horizontal Lifeline System - 4 Person

Horizontal Lifeline System - 4 Person



SKU: HLL04

Size: Span Length 15-100 ft.

Standard: Meets OSHA 1926.503

Features:

- Min Breaking Strength 5620 lbs.
- Kernmantle rope of dia 5/8".
- 4 man life line system



We understand that safety isn't optional—it's essential. That's why we've partnered with leading manufacturers and industry experts to bring you a comprehensive range of cutting-edge fall protection solutions. From harnesses and lanyards to anchors, lifelines, and engineered systems, our product offering is curated to meet the highest standards of performance and compliance.

**We're excited to be part of your safety story.
Thank you for choosing LSD Safety.**